

Description

Side table for outdoor use

Structure

Powder coated steel cleaned and treated with an electrolytic process of hard iron phosphatisation. This pre-painting guarantees a higher resistance to corrosion and it removes polluting substances. Its effect is reinforced with a following nanotechnology anticorrosive treatment and with an electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product.

Powder coated steel (see "structure") or HPL grey. HPL (High pressure laminate) of a great quality with a characteristic black heart, very resistant to wear and tear, humidity, steam, UV, fungi, spores and mould. It is self-extinguishing and it is class 2 fire resistant; it does not contain chlorine or asbestos and it is certifies by Fira Institute for coming in contact with foodstuff.

Base

Grey granite stone, brushed with a natural effect.

Weight

14 kg



Finishes



BRD353-01-21



structure metal\01 smoke 21 hpl grey

base Simplon white



BRD353-02-21



structure metal\02 milk 21 hpl grey base Simplon white



BRD353-01-01



structure metal\01 smoke metal 01 smoke **base** Simplon white



BRD353-02-02



structure metal\02 milk metal 02 milk base Simplon white

Maintenance

Steel

In case of exposition to weather conditions, it is recommended to wash regularly the product with mild tepid water. In case cleaning is needed, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Eventual rusty formation must be treated with a rust stopper and eventually touched up with the paint stick in the same color of structure, supplied by RODA.

Use a water-soaked cloth and in case of persistent spots, use a neutral soap UNIVERSAL CLEANER. Dry carefully. Do not use abrasive products, acid substances, chemical aggressive solvents.

Stone

All stones are protected by an anti-spot treatment, but it is recommended to clean with care the surface to maintain their original aspect in the course of time. In case of spots, it is necessary to clean them immediately with natural soap and absorbent cloth in order not to remove the protection treatment.

For a normal cleaning, use a soaked cloth with distilled water. Only in case of obstinate spots, use few drops of ammonia diluted with water. In any case, try it in a hidden part to verify its efficiency and its no-damaging effect. Do not use abrasive products, acid substances, chemical aggressive solvents.





ROOT 045 side table

STORK 001 side table



Description

Side table for outdoor use

Structure

Powder coated steel cleaned and treated with an electrolytic process of hard iron phosphatisation. This pre-painting guarantees a higher resistance to corrosion and it removes polluting substances. Its effect is reinforced with a following nanotechnology anticorrosive treatment and with an electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product.

High pressure laminate (HPL) extremely resistant to wear, impact, scratch, moisture, heat and stain; it has good hygienic and anti-static properties. Its characteristic "black heart" is made of layers of fibrous cellulosic material soaked with thermosetting resins and glued by an high-pressure process until obtaining an homogeneous material non-porous.

Base

Grey granite stone, brushed with a natural effect.

Weight: 14 kg



Finishes







structure metal\01 smoke

21 hpl grey base Simplon white



BRD354-02-21



structure metal\02 milk 21 hpl grey base Simplon white

Maintenance

Steel

In case of exposition to weather conditions, it is recommended to wash regularly the product with mild tepid water. In case cleaning is needed, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Eventual rusty formation must be treated with a rust stopper and eventually touched up with the paint stick in the same color of structure, supplied by RODA.

Use a water-soaked cloth and in case of persistent spots, use a neutral soap UNIVERSAL CLEANER. Dry carefully. Do not use abrasive products, acid substances, chemical aggressive solvents.

Stone

All stones are protected by an anti-spot treatment, but it is recommended to clean with care the surface to maintain their original aspect in the course of time. In case of spots, it is necessary to clean them immediately with natural soap and absorbent cloth in order not to remove the protection treatment.

For a normal cleaning, use a soaked cloth with distilled water. Only in case of obstinate spots, use few drops of ammonia diluted with water. In any case, try it in a hidden part to verify its efficiency and its no-damaging effect. Do not use abrasive products, acid substances, chemical aggressive solvents.





ROOT 045 side table

STORK 001 side table



Description

Side table for outdoor use

Structure

Powder coated steel.

Steel used by RODA is cleaned and treated with an electrolytic process of hard iron phosphatisation. This pre-painting guarantees a higher resistance to corrosion and it removes polluting substances. Its effect is reinforced with a following nanotechnology anticorrosive treatment.

Top

Powder coated steel or HPL grey. High pressure laminate (HPL) extremely resistant to wear, impact, scratch, moisture, heat and stain; it has good hygienic and anti-static properties. Its characteristic "black heart" is made of layers of fibrous cellulosic material soaked with thermosetting resins and glued by an high-pressure process until obtaining an homogeneous material

Base

Simplon white stone. Grey granite stone, brushed with a natural effect.

Technical data Weight: 15 kg



Finishes







structure metal\01 smoke top

21 hpl grey base

Simplon white



BRD367-02-21



structure metal\02 milk top 21 hpl grey

base Simplon white



BRD367-01-01



structure metal\01 smoke top metal 01 smoke

Simplon white



BRD367-02-02



structure metal\02 milk top metal 02 milk

base Simplon white

Maintenance

Steel

In case of exposition to weather conditions, it is recommended to wash regularly the product with mild tepid water. In case cleaning is needed, use a neutral soap (UNIVERSAL CLEANER RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Eventual rusty formation must be treated with a rust stopper and eventually touched up with the paint stick in the same color of structure, supplied by RODA.

base

Use a water-soaked cloth and in case of persistent spots, use a neutral soap UNIVERSAL CLEANER. Dry carefully. Do not use abrasive products, acid substances, chemical aggressive solvents.

Stone

All stones are protected by an anti-spot treatment, but it is recommended to clean with care the surface to maintain their original aspect in the course of time. In case of spots, it is necessary to clean them immediately with natural soap and absorbent cloth in order not to remove the protection treatment.

For a normal cleaning, use a soaked cloth with distilled water. Only in case of obstinate spots, use few drops of ammonia diluted with water. In any case, try it in a hidden part to verify its efficiency and its no-damaging effect. Do not use abrasive products, acid substances, chemical aggressive solvents.







STORK 001 side table



Description

Side table for outdoor use

Structure

Powder coated steel.

Steel used by RODA is cleaned and treated with an electrolytic process of hard iron phosphatisation. This pre-painting guarantees a higher resistance to corrosion and it removes polluting substances. Its effect is reinforced with a following nanotechnology anticorrosive treatment.

Top

High pressure laminate (HPL) extremely resistant to wear, impact, scratch, moisture, heat and stain; it has good hygienic and anti-static properties. Its characteristic "black heart" is made of lavers of fibrous cellulosic material soaked with thermosetting resins and glued by an high-pressure process until obtaining an homogeneous material non-porous.

Base

Grey granite stone, brushed with a natural effect.

Weight

Weight: 15 kg



Finishes







structure metal\01 smoke

base Simplon white

top 21 hpl grey



BRD368-02-21



structure metal\02 milk 21 hpl grey

base Simplon white

Maintenance

Steel

In case of exposition to weather conditions, it is recommended to wash regularly the product with mild tepid water. In case cleaning is needed, use a neutral soap (UNIVERSAL CLEANER RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Eventual rusty formation must be treated with a rust stopper and eventually touched up with the paint stick in the same color of structure, supplied by RODA.

Use a water-soaked cloth and in case of persistent spots, use a neutral soap UNIVERSAL CLEANER. Dry carefully. Do not use abrasive products, acid substances, chemical aggressive solvents.

Stone

All stones are protected by an anti-spot treatment, but it is recommended to clean with care the surface to maintain their original aspect in the course of time. In case of spots, it is necessary to clean them immediately with natural soap and absorbent cloth in order not to remove the protection treatment.

For a normal cleaning, use a soaked cloth with distilled water. Only in case of obstinate spots, use few drops of ammonia diluted with water. In any case, try it in a hidden part to verify its efficiency and its no-damaging effect. Do not use abrasive products, acid substances, chemical aggressive solvents.







STORK 001 side table