Design Gordon Guillaumier

**Description** Stool for outdoor use

# Structure

Teak frame. Teak wood contains a natural oily resin which makes it extremely resistant to weather, temperature, parasite attacks and insects. The exposure outdoor creates a 1/2 mm-thick oxidation patina on the wood surface which favors its discoloration to a silver-grey color; this change does not affect its original characteristics in any way. The grey patina can be avoided or removed with the correct maintenance.

### Canatex

Canatex is a net realized with a combination of extruded threads with a core of polyester covered by a sheath in part made of hemp which offers a stability and regular weaving effect , natural and soft to the touch. During the first phase of usage, Canatex tends to release slightly, but then it settles and remains constant as time goes by. Canatex is compliant with the environmental requirements of the Oeho-Tex standard; it is recyclable through the patented Texyloop<sup>®</sup> process and, the hemp (cropped without using pesticides or fungicides) has a strong power of CO<sup>2</sup> absorption.

Weight 3 kg

Storage cover Available



## Finishes



ORS003-01-01 teak / canatex grey



ORS003-01-02 teak / canatex sand

### Maintenance

### Teak

In humid conditions, teak may release some reddish oil, which can cause stains on the surface.
For normal cleaning, use a soft cloth (not in microfiber), fresh water and SUNDECK SOAP.
use SUNDECK WOOD OIL LIGHT, a nutrient and protective oil, on the new product to avoid the superficial oxidation.

- use GREY OFF every 2/3 years to remove the grey patina due to the oxidation of the surface.

After the treatment with GREY OFF, wash the furniture with water and SUNDECK SOAP and oil it with SUNDECK WOOD OIL LIGHT.

- In case of deep spots hard to clean with SUNDECK

SOAP, it is recommended to sand the surface uniformly before using GREY-OFF; in any case, do not use GREY-OFF more than once a year.

- Always avoid abrasive products or aggressive chemical solvents.

### Canatex

Brush the surface or treat it using water and neutral soap UNIVERSAL CLEANER. Do not use any abrasive products, acid substances or aggressive chemical solvents.