Description Sofa module for outdoor use

Structure

AISI 304 stainless steel frame treated with electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product. Canatex net stretched on the frame for maximum seating comfort.

Belts (backrest) Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.


Cushions

Standard or hydro-draining

Weight Structure: 39 kg Cushion: 12 kg

Storage cover Available





Maintenance

Stainless Steel

In case of exposition to weather conditions. especially in corrosive environments, (for instance near the sea), to avoid rust formation, it is recommended to wash regularly the product with mild fresh water. If the product needs a thorough cleaning, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Brush following the direction of polish (if the product is not painted) and use a microfiber cloth to obtain a better result. To remove eventual print on the

surface, use a glass cleanser or ammonia, rinse out accurately and dry with a cloth.

In case of persistent spots or scratches, use a specific detergent polishing product for stainless steel. Before using it on the product, try it in a hidden part to verify its efficiency and its nodamaging effect. Do not use metallic brushes, abrasive products, acid substances, bleach or chemical aggressive solvents.

Belts

Description

Sofa module for outdoor use

Structure

AISI 304 stainless steel frame treated with electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product. Canatex net stretched on the frame for maximum seating comfort.

Belts (backrest)

Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

Cushions


Standard or hydro-draining

Weight

Structure: 25 kg Cushion: 9 kg

Storage cover Available





Stainless Steel

In case of exposition to weather conditions, especially in corrosive environments, (for instance near the sea), to avoid rust formation, it is recommended to wash regularly the product with mild fresh water. If the product needs a thorough cleaning, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water. Brush following the direction of polish (if the product

is not painted) and use a microfiber cloth to obtain a better result. To remove eventual print on the

surface, use a glass cleanser or ammonia, rinse out accurately and dry with a cloth.

In case of persistent spots or scratches, use a specific detergent polishing product for stainless steel. Before using it on the product, try it in a hidden part to verify its efficiency and its nodamaging effect. Do not use metallic brushes, abrasive products, acid substances, bleach or chemical aggressive solvents.

Belts

Brush the surface or treat it using water and neutral soap (UNIVERSAL CLEANER by RODA). Do not use any abrasive products, acid substances or aggressive chemical solvents.

RODA

Description

Sofa module for outdoor use

Structure

AISI 304 stainless steel frame treated with electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product. Canatex net stretched on the frame for maximum seating comfort.

Belts (backrest)

Double-twisted 100% polyester thread, in cotton resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

Cushions

Standard or hydro-draining

Weight

Structure: 26 kg Cushion: 8 kg


Structure finishes

Storage cover Available



BSK354-01 BSK354-02 BSKXXX-01-01 BSKXXX-02-02 metal smoke metal milk metal smoke/ belt grey metal milk/belt sand **Backrest options** 135 (53 1/8) 135 (53 1/8) 90 (35 3/8) 90 (35 3/8) 135 (53 1/8) 90 (35 3/8) 39 (15 3/8) 39 (15 3/8) 39 (15 3/8) 90 (35 3/8) BASKET 335 backrest left

Backrest finishes



BASKET 334 backrest right

Maintenance

Stainless Steel

In case of exposition to weather conditions, especially in corrosive environments, (for instance near the sea), to avoid rust formation, it is recommended to wash regularly the product with mild fresh water. If the product needs a thorough cleaning, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Brush following the direction of polish (if the product is not painted) and use a microfiber cloth to obtain a better result. To remove eventual print on the surface, use a glass cleanser or ammonia, rinse out accurately and dry with a cloth.

In case of persistent spots or scratches, use a specific detergent polishing product for stainless steel. Before using it on the product, try it in a hidden part to verify its efficiency and its nodamaging effect. Do not use metallic brushes, abrasive products, acid substances, bleach or chemical aggressive solvents.

Belts

Description

Sofa module for outdoor use

Structure

AISI 304 stainless steel frame treated with electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product. Canatex net stretched on the frame for maximum seating comfort.

Belts (backrest) Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

Cushions

Standard or hydro-draining

Weight Structure: 18 kg Cushion: 6 kg


Storage cover Available

Structure finishes



BSK353-01 BSK353-02 BSKXXX-01-01 BSKXXX-02-02 metal milk/belt sand metal milk metal smoke/ belt grey metal smoke

Backrest options



Maintenance

Stainless Steel In case of exposition to weather conditions, especially in corrosive environments, (for instance near the sea), to avoid rust formation, it is recommended to wash regularly the product with mild fresh water. If the product needs a thorough cleaning, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately

to avoid stains and halos caused by water. Brush following the direction of polish (if the product is not painted) and use a microfiber cloth to obtain a better result. To remove eventual print on the surface, use a glass cleanser or ammonia, rinse out accurately and dry with a cloth.

In case of persistent spots or scratches, use a specific detergent polishing product for stainless steel. Before using it on the product, try it in a hidden part to verify its efficiency and its nodamaging effect. Do not use metallic brushes, abrasive products, acid substances, bleach or chemical aggressive solvents.

Backrest finishes

Belts

Description

Sofa module for outdoor use

Structure

AISI 304 stainless steel frame treated with electrostatic powder painting with polyester base that gives more protection from scratches and also the final coloring to the product. Canatex net stretched on the frame for maximum seating comfort.

Belts (backrest) Double-twisted 100% polyester thread, in cotton finishing; they have great toughness and great resilience, high resistance to abrasion, to heat, to bending stress, high modulus of elasticity, minimal wet regain, good resistance to chemical agents and to bad weather conditions; color fastness to light of 7 in the blue scale (maximum of the scale: 8); as the time goes by, the exposition to extreme weather conditions may cause a discoloration of the threads.

Cushions

Standard or hydro-draining

Weight Structure: 13 kg Cushion: 4,5kg

Storage cover Available



Structure finishes



BSK350-01 metal smoke



Backrest finishes



BSKXXX-01-01 metal smoke/ belt grey



metal milk/belt sand

Backrest options



BASKET 331 backrest right / left

Maintenance

Stainless Steel In case of exposition to weather conditions, especially in corrosive environments, (for instance near the sea), to avoid rust formation, it is recommended to wash regularly the product with mild fresh water. If the product needs a thorough cleaning, use a neutral soap (UNIVERSAL CLEANER by RODA) and warm or mild water. Dry immediately to avoid stains and halos caused by water.

Brush following the direction of polish (if the product is not painted) and use a microfiber cloth to obtain a better result. To remove eventual print on the surface, use a glass cleanser or ammonia, rinse out accurately and dry with a cloth.

In case of persistent spots or scratches, use a specific detergent polishing product for stainless steel. Before using it on the product, try it in a hidden part to verify its efficiency and its nodamaging effect. Do not use metallic brushes, abrasive products, acid substances, bleach or chemical aggressive solvents.

Belts